#### DATA AND SAFETY MONITORING BOARD (DSMB) SAMPLE REPORTS

The following pages contain sample tables and figures that will be included in interim monitoring reports submitted to the DSMB. Some of the tables and figures have been partially or fully completed (based upon fictitious data) to illustrate how the REACH II investigators expect they may look upon completion of the study, and to provide a clearer picture of how the tables will be formatted.

#### I. Table of Contents

I. Ta	ble of Contents	2
II. R	ecruitment and Subject Status	3
	Table 1. Enrollment by Site and Race	3
	Figure 1.a Comparison of Target to Actual Cumulative Enrollment by Month (Overall)	4
	Figure 1.b Comparison of Target to Actual Cumulative Enrollment by Month (Black/African-	
	American)	5
	Figure 1.c Comparison of Target to Actual Cumulative Enrollment by Month (White/Caucasia	n) 6
	Figure 1.d Comparison of Target to Actual Cumulative Enrollment by Month (Hispanic/Latino)	7
	Figure 2.a Comparison of Target to Actual Enrollment by Site (Overall)	8
	Figure 2.b Comparison of Target to Actual Enrollment by Site by Race	9
III. D	Description of Study Sample	. 10
	Table 2a: Caregiver Characteristics by Race/Ethnic Identity	. 10
	Table 2b: Caregiver Characteristics by Race/Ethnic Identity and Treatment Group	. 11
	Table 3a: Care Recipient Characteristics by Race/Ethnic Identity	. 12
	Table 3b: Care Recipient Characteristics by Race/Ethnic Identity and Treatment Group	. 13
IV. S	Safety Assessment	. 14
	Table 4. Adverse Events by Race/Ethnic Identity	. 14
	Table 5. Adverse Events by Site and Treatment Group	. 15
	Table 6: Serious Adverse Events and Alerts*	. 16
V. D	ata Processing	. 17
	Table 7a: Status of Data Processing of Forms at Coordinating Center, Since Start of Study	. 17
	Table 7b: Status of Data Processing of Forms at Coordinating Center, for the past two month	s18
	Table 8: Number of Contacts (In-Home and By Telephone)	. 19
	Table 9: Overall Subject Status by Site	. 20
	Table 10: Follow-up Summary Report by Site	. 21
	Table 11: Off-Protocol Events by Site	. 22

#### **II. Recruitment and Subject Status**

#### **Table 1.** Enrollment by Site and Race

$\Box$	2	tρ
,	а	15

	Randomized		Eligible Pending Randomization		Eligible Not Randomized N		Eligible Not Randomized		Screened Not Eligible			Screene d	
Site	Control	Active	Past 30 Days	Past 60 Days	Total	Current	Past 30 Days	Past 60 Days	Total	Past 30 Days	Past 60 Days	Total	Total
Birmingham: Black White Hispanic	30 10 10 120												
Memphis: Black White Hispanic													
Miami: Black White Hispanic													
Palo Alto: Black White Hispanic													
Philadelphia: Black White Hispanic													
Total													

**Category Definitions:** Randomized – Participants that met all inclusion/exclusion criteria and consented to participate in study.

Eligible Pending Randomization - Participants that met all inclusion/exclusion criteria but consent to participate in study is

pending.

Eligible Not Randomized – Participants that met all inclusion/exclusion criteria and refused to participate in study.

Screened Not eligible – Participants screened that did not meet inclusion/exclusion criteria.

Screening – All participants screened for the study.

Figure 1.a Comparison of Target to Actual Cumulative Enrollment by Month (Overall)




Figure 1.b Comparison of Target to Actual Cumulative Enrollment by Month (Black/African-American)




Figure 1.c Comparison of Target to Actual Cumulative Enrollment by Month (White/Caucasian)




Figure 1.d Comparison of Target to Actual Cumulative Enrollment by Month (Hispanic/Latino)




Figure 2.a Comparison of Target to Actual Enrollment by Site (Overall)





Figure 2.b Comparison of Target to Actual Enrollment by Site by Race<sup>1</sup>



<sup>&</sup>lt;sup>1</sup> 40 is expected number

# **III. Description of Study Sample**

#### **Table 2a: Caregiver Characteristics by Race/Ethnic Identity**

	Bla	nck	Whi	te	Hisp	anic	ТО	TAL
	N	%	N	%	N	%	N	%
Age								
Median (range)								
Mean (sd)								
Sex								
Male								
Education								
Did Not Finish HS								
HS Diploma								
Post-HS Education								
Marital Status								
Married								
Not Married								
Caregiver Income								
Less than \$20,000								
\$20,000 - \$39,999								
\$40,000 and above								
Years living with CR								
Median (range)								
Mean (sd)								
Relationship to CR								
Spouse								
Child								
Sibling								
Other								
Employed								
Full or Part Time								
Retired								
Unemployed								
CES-D								
Median (range)								
Mean (sd)								
RMBPC								
Median (range)								
Mean (sd)								

# **Table 2b**: Caregiver Characteristics by Race/Ethnic Identity and Treatment Group

	Black n =		Wh	nite =		panic =	TO n	Γ <b>AL</b> =
	Control n (%)	Active n (%)						
Age Median (range) Mean (sd)								
Sex Male								
Education Did Not Finish HS HS Diploma Post-HS Education								
Marital Status  Married  Not Married								
Caregiver Income Less than \$20,000 \$20,000 - \$39,999 \$40,000 and above								
Years living with CR Median (range) Mean (sd)								
Relationship to CR Spouse Child Sibling Other								
Employed Full or Part Time								
CES-D Median (range) Mean (sd)								
RMBPC Median (range) Mean (sd)								

# **Table 3a: Care Recipient Characteristics by Race/Ethnic Identity**

	Bla	nck	W	hite	His	panic	TOTAL	
	N	%	N	%	N	%	N	%
Age								
Median (range) Mean (sd)								
Sex								
Male								
Education								
Did Not Finish HS HS Diploma After HS								
ADL								
Median (range) Mean (sd)								
IADL								
Median (range) Mean (sd)								
MMSE Score								
Median (range) Mean (sd)								
RMBPC								
Behavior Frequency								
Median (range) Mean (sd)								

# **Table 3b**: Care Recipient Characteristics by Race/Ethnic Identity and Treatment Group

	Black n =		Wh			oanic =	TO7	Γ <b>AL</b> =
	Control n (%)	Active n (%)	Control n (%)	Active n (%)	Control n (%)	Active n (%)	Control n (%)	Active n (%)
Age								
Median (range) Mean (sd)								
Sex								
Male								
Education								
Did Not Finish HS HS Diploma After HS								
ADL								
Median (range) Mean (sd)								
IADL								
Median (range) Mean (sd)								
MMSE Score								
Median (range) Mean (sd)								
RMBPC								
<b>Behavior Frequency</b>								
Median (range) Mean (sd)								

# IV. Safety Assessment

#### **Table 4.** Adverse Events by Race/Ethnic Identity

	Black	White	Hispanic	TOTAL
	n=200	n=	n=	N=600
<b>Number of Adverse Events</b>	5			
	(0/)	(0/)	(0/)	(0/)
m	n (%)	n (%)	n (%)	n (%)
Type of Event				
Depression	1 (20)			
Driving	4 (80)			
Gun in house				
Harmful to self				
Harmful to others				
Tx related?				
Unrelated				
Possible				
Probable				
Definitely				
Action Taken				
None				
Outcome				
Resolved				
Continue/Control				

# **Table 5**. Adverse Events by Site and Treatment Group

	Birmingham		Mon	nhia	M	i	Dolo	A 14 o	Dhilad	alnhia	TOT	CAT
		Birmingham n=120 Memphis n= Miami n=			Palo Alto n=		Philadelphia n=					
	n=1			n= n=					N=600			
	Control	Active	Control	Active	Control	Active	Control	Active	Control	Active	Control	Active
	n = 60	n = 60	n = 60	n = 60	n = 60	n = 60	n = 60	n = 60	n = 60	n = 60	n = 60	n = 60
Number of Adverse Events	10	10										
	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)	n (%)
Type of Event												
Depression	5 (50)											
Driving	5 (50)											
Gun in house												
Harmful to self												
Harmful to others												
Severity												
Mild												
Moderate												
Severe												
Life-threatening												
Action Taken												
None												
•••												
Outcome												
Resolved												
Continue/Control												

#### **Table 6: Adverse Events and Alerts\***

Site	Participant	Intervention Group	Race	Event/ Alert	Date Identified	Date Responded	Treatment Related**	Description of Actions and Outcomes
Birmingham	00001DDE	Active	White	Depression	5 May 02	7 May 02	2	Counseling

\* Alerts:

Depression

Gun in home

Driving

CG threatening to hurt him/herself

CG threatening to hurt others

#### \*\*Intervention Relationship:

0 = Definitely unrelated

- 1 = Unlikely
- 2 = Possibly related
- 3 = Probably related
- 4 = Definitely related

#### V. Data Processing

#### Table 7a: Status of Data Processing of Forms at Coordinating Center, Since Start of Study

	Birmingham (N=)	Memphis (N=)	Miami (N=)	Palo Alto (N=)	Philadelphia (N=)
# Eligible					
# Randomized					
Collect-Enter					
Mean					
Median					
Range					
Enter-Verify					
Mean					
Median					
Range					
Verify - Prepare					
Mean					
Median					
Range					
Collect-Prepare					
Mean					
Median					
Range					
%>30 days		from form collection to forms out			

**Category Definitions:** 

Collect – Enter: Time from form collection to forms entry into site PC's

Enter – Verify: Time from initial forms entered to forms verified (double entered)

Verify – Prepared: Time from forms verified, cleaned & prepared for transfer to the Coordinating Center Collect – Prepare: Time from form collection to forms prepared for transfer to the Coordinating Center % > 30 Days: Percentage of forms that took more than 30 days from form collection to form preparation.

#### Table 7b: Status of Data Processing of Forms at Coordinating Center, for the past two months

	Birmingham (N=)	Memphis (N=)	Miami (N=)	Palo Alto	Philadelphia (N=)
# E1: '11	(14-)	(14-)	(14-)	(14-)	(11-)
# Eligible					
# Randomized					
Collect-Enter					
Mean					
Median					
Range					
Enter-Verify					
Mean					
Median					
Range					
Verify - Prepare					
Mean					
Median					
Range					
Collect-Prepare					
Mean					
Median					
Range					

#### **Category Definitions:**

 $Collect-Enter:\ Time\ from\ form\ collection\ to\ forms\ entry\ into\ site\ PC's$ 

Enter – Verify: Time from initial forms entered to forms verified (double entered)

Verify – Prepared: Time from forms verified, cleaned & prepared for transfer to the Coordinating Center Collect – Prepare: Time from form collection to forms prepared for transfer to the Coordinating Center

# **Table 8: Number of Contacts (In-Home and By Telephone)**

		In	-Home Conta	cts	Te	lephone Conta	acts
Assignment	N	Mean Number of Contacts	Range in Number of Contacts (min, max)	Number of Participants with no contacts	Mean Number of Contacts	Range in Number of Contacts (min, max)	Number of Participants with no contacts
Birmingham							
Black							
White							
Hispanic							
TOTAL							
Memphis							
Black							
White							
Hispanic							
TOTAL							
Miami							
Black							
White							
Hispanic							
TOTAL							
Palo Alto							
Black							
White							
Hispanic							
TOTAL							
Philadelphia							
Black							
White							
Hispanic							
TOTAL							

# **Table 9: Overall Subject Status by Site**

						SITE						
		INGHAM		PHIS	MIA		PALO .		PHILAD		TOTAL	
Randomized Black White Hispanic Total	N	8	N	8	N	90	N	96	N	8	N	90
Core Follow-ups Black White Hispanic Total	N	ફ	N	96	И	ફ	И	%	N	95	N	%
Placement Black White Hispanic Total												
Bereavement Black White Hispanic Total												
Drop-Out Black White Hispanic Total												
Missed visit Black White Hispanic Total												

# **Table 10: Follow-up Summary Report by Site**

	Birmingh	nam	Mem	phis	Mi	iami	Palo	Alto	Philac	lelphia	To	otal
Participants Randomized												
			-	Interviev	w Follow-	-up Status						
	N	%	N	%	N	%	N	%	N	%	N	%
Interviews expected: Completed												
Incomplete Past due												

#### **Table 11:** Off-Protocol Events by Site

Data as of

Off-Protocol Events by Site

Caregiver moved

Illness Death Other

Caregiver cannot be located/location unknown Caregiver displeased with randomization

					Sites							
	Birmi	.ngham	Memp	his	Miam	i	Palo	Alto	Philade	lphia	Tota	al
	N=		N=		N=		N	·=	N=		N=	
	n	%	n	%	n	%	n	%	n	%	n	%
Caregivers with any off protocol event												
Interview conducted by a non-certified interviewer												
Missed follow-up visit												
Ineligible participant randomized												
Randomized to wrong intervention												
Visits not completed Baseline 6 month												
Caregiver discontinued participation Reason: Change of caregiver Placement Travel too difficult												

	Sites											
Birmingham	Memphis	Miami	Palo Alto	Philadelphia	Total							
N=	N=	N=	N=	N=	N=							
n %	n %	n %	n %	n %	n %							

Follow-up Interview outside window

Interview completed Over the phone

Baseline > n days
from screen

Randomization > 3 days From Baseline

Randomization > 42 days from last screen

Failed intervention
Guidelines
Participant attended
fewer than n interventions

etc

Other off-protocol events